

Notice of Restricted Land Use
Clean Water Act – ss. 59(2)(a)

TO/ATTN: TOWNSHIP OF SOUTHGATE

Location Address: **251 YOUNG ST. , DUNDALK**

Assessment Roll #: 420711000106400

Property Owner Name BLUEWATER DISTRICT SCHOOL BOARD and/or

Person engaged
in Activity
(where applicable)


Notice File No. RLU-4207-2025-001 RMP File No. n/a

From the information noted in the planning application to renovate existing elementary school and reconfigure the site, it has been determined that **neither section 57 (Prohibited Activities) nor section 58 (Regulated Activities)** applies on the above-noted property, pursuant to the *Clean Water Act, 2006*. However, it should be noted that this property falls within the Wellhead Protection Area B for Dundalk Drinking Water System. As such, the storage of certain chemicals (greater than 25 litres) are regulated, and fuel storage for backup generators is also regulated. If either of these activities are planned for either of these properties, please contact this office.

Consequently, **no policies currently apply to the activities identified in your application**, under the approved Source Protection Plan for the Saugeen, Grey Sauble, Northern Bruce Peninsula Source Protection Region (effective July 1, 2016).

If any activities or operations on this property change, please contact this office. If you have any questions, please contact this office (519-470-3000 or toll-free 1-877-470-3001) or via email at k.gillan@greysauble.on.ca.

Signature of RMO:



Date: June 16, 2025